

Indoor Air Contamination Found in Resident Homes

Readings are in ug/m³

Readings for 2003

| House | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|-----|-----|-----|-----|-----|
| Carbon Tetrachloride | 0.9 | 2.8 | 3.2 | 6.9 | 1.3 | 60 | 0.7 | 0.7 | 0.6 | 0.8 | 0.7 | 0.6 | 0.4 | 1.6 | | | 0.9 | 0.7 | 0.9 | 2.5 | 0.8 |
| Chloroform | 5.6 | 1.2 | 2.6 | 1.3 | 3.5 | 0.8 | 1.1 | 0.9 | 1.3 | 1.5 | 3.8 | 2.1 | 0.6 | 1 | | | 1.6 | 0.8 | 1.4 | 0.4 | 2.5 |
| Chloromethane | | 2.3 | | | | | | | 1.2 | | | | 0.6 | | | | | | | | |
| 1,2-Dichlorethane | | 0.7 | | | | | | | 0.1 | | | | 0.2 | | | | | | | | |
| 1,1-Dichlorethene | | 1 | | | | | | | 0.2 | | | | 0.3 | | | | | | | | |
| cis-1,2-Dichlorethene | | 1.7 | | | | | | | 4.8 | | | | 0.2 | | | | | | | | |
| trans-1,2-Dichlorethene | | 1.9 | | | | | | | 0.2 | | | | 0.2 | | | | | | | | |
| Methyl Chloride | 0.9 | 7.4 | 2.6 | 0.8 | 1.4 | 0.6 | 1.7 | 1.3 | 1.4 | 1.5 | 7.2 | 3.5 | 0.7 | 0.9 | | | 0.8 | 0.9 | 1 | 0.9 | 1 |
| 1,1,2,2,-Tetrachlorethane | | 2.6 | | | | | | | 0.1 | | | | 0.4 | | | | | | | | |
| Tetrachloroethane | | 0.5 | | | | | | | 2.3 | | | | 0.6 | | | | | | | | |
| 1,1,1-Trichloroethane | | 8.3 | | | | | | | 1.3 | | | | 0.3 | | | | | | | | |
| Trichloroethylene | 0.3 | 3.1 | 69 | 12 | 1.6 | 3.2 | 0.2 | 0.2 | 8.2 | 1.1 | 0.2 | 0.2 | 0.7 | 5.8 | | | 0.2 | 0.3 | 0.5 | 2.4 | 0.2 |
| Vinyl Chloride | | 0.1 | | | | | | | 0.1 | | | | 0.2 | | | | | | | | |
| Acetone | | | | | | | | | | | | | | | | | | | | | |

Indoor Air Contamination Found in Resident Homes

Readings are in ug/m³

Readings for 2002

| House | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
|---------------------------|---|-----|-----|-----|---|-----|-----|---|-----|----|----|----|-----|-----|-----|-----|----|----|----|----|----|
| Carbon Tetrachloride | | 0.1 | 0.1 | 0.1 | | 0.4 | 0.5 | | 28 | | | | 1.4 | 0.1 | 2.1 | 0.5 | | | | | |
| Chloroform | | 0.8 | | 0.1 | | 0.9 | 0.9 | | 993 | | | | 0.6 | 0.1 | 0.7 | 0.4 | | | | | |
| Chloromethane | | 7.4 | 6.3 | 0.5 | | 4.2 | 4.2 | | 999 | | | | 0.8 | 0.9 | 1.2 | | | | | | |
| 1,2-Dichlorethane | | 0.5 | | 0.1 | | 1 | 0.4 | | 3.3 | | | | | 0.3 | | | | | | | |
| 1,1-Dichlorethane | | | | 0.1 | | 73 | 0.3 | | 0.3 | | | | 0.8 | | 1.3 | | | | | | |
| cis-1,2-Dichlorethane | | | 0.2 | 1.5 | | 97 | 0.3 | | 61 | | | | 1 | 0.4 | 0.1 | | | | | | |
| trans-1,2-Dichlorethane | | | | 0.1 | | 19 | 0.3 | | 3.9 | | | | 0.3 | | | | | | | | |
| Methyl Chloride | | 1.6 | 14 | 0.7 | | 5.3 | 1.5 | | 388 | | | | 0.6 | 2.2 | 15 | | | | | | |
| 1,1,2,2,-Tetrachlorethane | | 0.1 | 0.1 | 0.1 | | 1.3 | 0.6 | | 6.8 | | | | 0.6 | 0.1 | 0.1 | | | | | | |
| Tetrachloroethane | | 0.4 | 0.3 | 2 | | 12 | 0.6 | | 10 | | | | 4.2 | 0.4 | 9.7 | 0.9 | | | | | |
| 1,1,1-Trichloroethane | | 2.6 | 6.1 | 0.2 | | 150 | 0.1 | | 7.8 | | | | 0.7 | 0.1 | 0.7 | | | | | | |
| Trichloroethylene | | 1.5 | 0.7 | 5.5 | | 377 | 0.6 | | 104 | | | | 131 | 1.1 | 142 | | | | | | |
| Vinyl Chloride | | 0.1 | | | | 0.1 | | | 1.7 | | | | 0.1 | | | | | | | | |
| Acetone | | | | | | | | | | | | | | | | | | | | | |

Indoor Air Contamination Found in Resident Homes

Readings are in ug/m³

Readings in 2001

| House | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
|--------------------------|---|---|---|---|---|-----|-----|---|-----|----|-----|----|-----|-----|-----|-----|----|-----|----|----|----|
| Carbon Tetrachloride | | | | | | 0.6 | | | 52 | | 0.8 | | 1.7 | 0.6 | | | | | | | |
| Chloroform | | | | | | 3.9 | 16 | | 16 | | 3.8 | | 38 | 4.4 | 6.6 | | | 3.7 | | | |
| Chloromethane | | | | | | 1.6 | 6.8 | | 6.8 | | 1.4 | | 16 | 1.9 | 2.8 | 1.9 | | 1.6 | | | |
| 1,2-Dichlorethane | | | | | | | | | 0.1 | | | | | 0.2 | | | | | | | |
| 1,1-Dichlorethane | | | | | | 0.1 | | | | | | | 0.1 | | | | | | | | |
| cis-1,2-Dichlorethane | | | | | | 3.2 | | | | | | | | | | 3.6 | | | | | |
| trans-1,2-Dichlorethane | | | | | | | | | | | | | | | | | | | | | |
| Methyl Chloride | | | | | | 2.8 | 11 | | 11 | | 6.4 | | 27 | 3.2 | 180 | 3.2 | | 2.9 | | | |
| 1,1,2,2-Tetrachlorethane | | | | | | | | | | | | | | | | 6.2 | | | | | |
| Tetrachloroethane | | | | | | 5.4 | 22 | | 22 | | 4.7 | | 53 | 6.2 | 9.2 | 6.2 | | 5.1 | | | |
| 1,1,1-Trichloroethane | | | | | | 4.4 | 18 | | 37 | | 3.8 | | 43 | 5 | 7.4 | | | 6.8 | | | |
| Trichloroethylene | | | | | | 4.3 | 18 | | 18 | | 3.7 | | 42 | 4.9 | 11 | 4.9 | | 4.1 | | | |
| Vinyl Chloride | | | | | | | | | | | | | | | | | | | | | |
| Acetone | | | | | | 55 | | | 35 | | 130 | | 74 | 49 | | 15 | | 130 | | | |

Indoor Air Contamination Found in Resident Homes

Readings are in ug/m³

Readings in 2000

| House | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
|--------------------------|-----|-----|-----|-----|---|-----|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Carbon Tetrachloride | | | | | | | | | | | | | | | | | | | | | |
| Chloroform | 2.5 | 2.7 | 6.1 | 4 | | 2.5 | | | | | | | | | | | | | | | |
| Chloromethane | 3.4 | 5.1 | 1.9 | 5.8 | | 3.4 | | | | | | | | | | | | | | | |
| 1,2-Dichlorethane | | | | | | | | | | | | | | | | | | | | | |
| 1,1-Dichlorethene | | | | | | | | | | | | | | | | | | | | | |
| cis-1,2-Dichlorethene | | | | | | | | | | | | | | | | | | | | | |
| trans-1,2-Dichlorethene | | | | | | | | | | | | | | | | | | | | | |
| Methyl Chloride | 16 | 2.6 | 5.4 | 3 | | 2 | | | | | | | | | | | | | | | |
| 1,1,2,2-Tetrachlorethane | | | | | | | | | | | | | | | | | | | | | |
| Tetrachloroethane | 4.4 | 7.4 | 3.4 | 14 | | 3.4 | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 37 | 2.8 | 37 | 2.8 | | 2.8 | | | | | | | | | | | | | | | |
| Trichloroethylene | 3.5 | 4.8 | 2.7 | 6.2 | | 4.9 | | | | | | | | | | | | | | | |
| Vinyl Chloride | | | | | | | | | | | | | | | | | | | | | |
| Acetone | | | | | | | | | | | | | | | | | | | | | |